

# AL-JUNAID INSTITUTE GROUP

## CS301-DATA STRUCTURE FINAL TERM MCQS Prepared by: JUNAID MALIK

### AL-JUNAID TECH INSTITUTE



[www.vulmshelp.com](http://www.vulmshelp.com)



#### Language Courses Training Available

I'm providing paid courses in different languages within 3 Months, Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- JQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

#### LMS Handling Services

#### LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294  
Email: junaidfazal08@gmail.com

# AL-JUNAID INSTITUTE GROUP

**ALL answers are verified if found any mistake then Correct ACCORDINGLY**

1. If unions are done by weight (size), the depth of any element is never greater than
  - a.  $\log_2 n$
  - b.  $n \log_2 n$
  - c.  $\log 3n$
  - d.  $\log n * n$
2. Which of the following is NOT true regarding the skip list
  - a. Each list  $S_i$  contains the special keys  $+\infty$  and  $-\infty$
  - b. List  $S_0$  contains the keys of  $S$  in non-decreasing order
  - c. List  $S_h$  contains only then  $n$  special keys
  - d. Each list is a subsequence of the previous one
3. Which of the following is NOT an open addressing technique to resolve collisions
  - a. Quadratic probing
  - b. Double hashing
  - c. Cubic probing
  - d. Linear probing
4. Which of the following possible operations are performed on Table ADT?
  - a. Insert, Remove
  - b. Find, Remove
  - c. Insert, Find
  - d. Insert, Find, Remove
5. Binary search can be categorized into which of the following?
  - a. Greedy algorithm
  - b. Dynamic programming
  - c. Divide and conquer
  - d. Brute force technique
6. Suppose there is an image of  $7*7$  now we will have matrix of \_\_\_\_\_ rows and \_\_\_\_\_ columns
  - a. 7.7
  - b. 49.49
  - c. 100.100
  - d. 8.8
7. Which of the following is NOT true regarding the maze generation?
  - a. Randomly remove walls until the entrance and exit cells are in the same set

# AL-JUNAID INSTITUTE GROUP

- b. Removing a wall is the same as doing a union operation
  - c. Do not remove a randomly chosen wall if the cell it separates are already in the same set
  - d. **None of the given**
8. Consider a hash table of size seven, with starting index zero, and a hash function  $(3x + 4) \bmod 7$ . Assuming the hash table is initially empty. Which of the following is the contents of the table when the sequence 1, 3, 8, 10 is inserted into the table using closed hashing? Note that '\_' denotes an empty location in the table.
- a. 8, \_, \_, \_, \_, 10
  - b. 1, \_, \_, \_, \_, 3
  - c. 1, 10, 8, \_, \_, 3
  - d. **1, 8, 10, \_, \_, 3**
9. Suppose a hash function returns 6 for the given value. At which index of array the value will be saved?
- a. 0
  - b. 5
  - c. **6**
  - d. 7
10. If a hash function returns 4 for more than one value, this condition is called \_\_\_\_\_.
- a. Mergin
  - b. **Collision**
  - c. Mapping
  - d. Clustering
11. During the union by size method, all the array element initialized to -1 shows;
- a. Tree is complete
  - b. **Initial condition of tree**
  - c. Every tree has two elements each.
  - d. None of the given
12. What is a skip list?
- a. A linked list with size value in nodes
  - b. A linked list that allows slower search within an ordered sequence
  - c. **A linked list that allows faster search within an ordered sequence**
  - d. A tree which is in the form of linked list
12. Which of the following is true regarding the maze generation?
- a. Randomly remove walls until the entrance and exit cells are in the same set



# AL-JUNAID INSTITUTE GROUP

- b. Removing a wall is the same as doing a union operation
  - c. Do not remove a randomly chosen wall if the cell it separates are already in the same set
  - d. All of the given
13. What is the best definition of a collision in a hash table?
- a. Two entries are identical except for their keys
  - b. Two entries with different data have the exact same key
  - c. Two entries with different keys have the same exact hash value.
  - d. Two entries with the exact same key have different hash values.
14. Suppose there is an image segmented into pixels. Each pixel has \_\_\_\_\_ neighbor(s).
- a. 0
  - b. 4
  - c. 8
  - d. 16
15. The array in binary search is subdivided \_\_\_\_\_.
- a. Once
  - b. Twice
  - c. N times
  - d. Until a sublist is no more divisible
16. What is the time complexity of binary search with iteration?
- a.  $O(n \log n)$
  - b.  $O(n^2)$
  - c.  $O(n)$
  - d.  $O(\log n)$
- <https://www.geeksforgeeks.org/binary-search/>
17. Which of the following is NOT an implementation of Table ADT?
- a. Sorted Sequential Array
  - b. Stack
  - c. Linked List
  - d. Skip List
18. In 1990, Bill Pugh proposed an enhancement on linked lists and the new data structure was termed as
- a. Linked list
  - b. B-Tree
  - c. Skip list
  - d. Spelling checker
19. During union by size method, which data structure is used to improve the balancing of tree?

# AL-JUNAID INSTITUTE GROUP

- a. Array
- b. Stack
- c. Linked list
- d. Tree

20. What is the depth of any tree if the union operation is performed by height?

- a.  $O(N)$
- b.  $O(N \log N)$
- c.  $O(\log N)$
- d.  $O(M \log N)$

21. Which of the following is NOT true regarding the maze generation?

- a. Randomly remove walls until the entrance and exit cells are in the same set
- b. Removing a wall is the same as doing a union operation
- c. Remove a randomly chosen wall if the cell it separates are already in the same set
- d. Do not remove a randomly chose wall if the cells it separate are already in the same set

22. Which of the following statement is NOT correct regarding Table ADT

- a. In the table, the type of information in columns may be different
- b. A table consist of several columns known as entities
- c. The row of table called a record

d. A major use of table is in databases where we build and use tables for keeping information

23. The union operation is based on size or weight but the reducing the in between links or path comparison from \_\_\_ to the \_\_\_\_\_ is done by find method

- a. Root, node
- b. Nodes, root
- c. Root, root
- d. Node, node

24. Which is the hash function used in linear probing?

- a.  $h_i(x) = \text{hash}(x) \text{ mode table size}$
- b.  $h_i(x) = (\text{hash}(x) + f(i^2)) \text{ mode table size}$
- c.  $h_i(x) = (\text{hash}(x) + f(i)) \text{ mode table size}$
- d.  $h_i(x) = X \text{ mod } 17$

25. A table consist of several columns, known as

- a. Fields
- b. Entity
- c. Tuple
- d. record

# AL-JUNAID INSTITUTE GROUP

26. A hash function returns a

\_\_\_\_\_ val

- a. Integer
- b. Double
- c. Float
- d. char

27. If there are 100 elements in a heap and 100 delete Min operation are performed, will get \_\_\_\_\_ list

- a. Sorted
- b. Unsorted
- c. Nonlinear
- d. Noe

28. Sorting procedure normally takes \_\_\_\_\_ times

- a.  $N \log N$
- b.  $2N$
- c.  $N * N * N$
- d.  $N$

29. The expression `if(!heap->is empty ())`

Checks

- a. Heap is empty
- b. Heap is full
- c. Heap is not empty

30. If the height of a perfect binary tree is 4. What will be the total number of nodes in it?

- a. 15
- b. 16
- c. 31
- d. 32

31. A binary relation R over S is called an equivalence relation if it has following property(S)?

- a. Reflexivity
- b. Symmetry
- c. Transitivity
- d. All of the given

32. If a tree has 20 edges/links, then the total number of nodes in the tree will be:

- a. 19
- b. 20
- c. 21
- d. Cannot be determined

33. For a perfect binary tree of height 4, what will be the sum of highest of node

- a. 31
- b. 30
- c. 27
- d. 26

34. If Ahmed is cousin of Ali and Ali is cousin of Asad then Ahmed is also cousin of Asad.

This statement has the following property

- a. Reflexivity
- b. Symmetry

# AL-JUNAID INSTITUTE GROUP

c. Transitivity

d. All of the above

35. Which property of equivalence relation is satisfied if we say:

Ahmad is cousin of Ali and Ali is also cousin of Ahmed

a. Reflexivity

b. Symmetry

c. Transitivity

d. All of the given

36. Which one of the following is NOT the property of equivalence relation?

a. Reflexive

b. Symmetric

c. Transitive

d. Associative

37. The main reason of using heap in priority queue is

a. Improve performance

b. Code readable

c. Less code

d. Heap can't be used in priority queues

38. The total number of nodes on 10<sup>th</sup> level of perfect binary tree are

a. 256

b. 512

c. 1024

d. Can't be determined

39. Suppose there are 100 elements in an equivalence class, so initially there will be 100 trees, the collection of these trees is called \_\_\_\_\_.

a. Cluster

b. Class

c. Forest

d. Bunch

40. The percolate Down procedure will move the smaller value \_\_\_\_ and bigger value \_\_\_\_.

a. Left, right

b. Right, left

c. Down, up

d. Up, down

41. For a perfect binary tree of height h, having N nodes, the Sum of height of nodes is \_\_\_\_\_

a.  $N - h - 1$

b.  $N - 1$

c.  $N - 1 + h$

d.  $N - (h - 1)$

42. Which of the following method is helpful in creating the heap at once?

# AL-JUNAID INSTITUTE GROUP

- a. Insert
- b. Add
- c. Update
- d. percolateDown

43. If ahmad is boss of Ahsan and ehsan is boss of umer then ahmad is also boss of umer, the above mentioned relation is \_\_\_\_\_.

- a. Reflexive
- b. Symmetry
- c. Transitive
- d. None of given

44. If we want to find 3<sup>rd</sup> minimum element from an array of element, then after applying build heap method. How many times deleteMin method will be called?

- e. 1
- f. 2
- g. 3
- h. 4

45.

If we want to find median of 50 elements, then after applying builtHeap method, how many time deleteMin method will be called?

- i. 5
- j. 25
- k. 35
- l. 50

20 Which of the following properties are satisfied by equivalence relationship?

- m. Reflexive, symmetric
- n. Reflexive, transitive
- o. Symmetric, transitive
- p. Reflexive, symmetric and transitive

21. The Expression if ( ! heap->isFull() ) Check

- q. Heap is empty
- r. Heap is full
- s. Heap is not empty
- t. Heap is not full



# AL-JUNAID INSTITUTE GROUP

- 22 Given the values are the array representation of heap:  
12 23 26 31 34 44 56 64 78 100  
If we perform 4 deleteMin operation, the last element deleted is \_\_\_\_\_.  
a. 31  
b. 34  
c. 44  
d. 56
- 23 Which of the following heap method increase the value if key at position 'p' by the amount 'delta'?  
e. increaseKey(p, delta)  
f. decreaseKey(p, delta)  
g. percolateDown(p, delta)  
h. remove(p, delta)
- 24 Which property of equivalence relation is satisfied if we say: Ahmad R(is related to)Ahmad  
i. Reflexivity  
j. Symmetry  
k. Transitivity  
l. All of Above
- 25 The total number of nodes on 5<sup>th</sup> level of perfect binary tree are:  
m. 16  
n. 15  
o. 31  
p. 32
- 26 Which property of equivalence relation is satisfied if we say: Ahmad is cousin of Ali and Ali is also Cousin of Ahmad  
a. Reflexivity  
b. Symmetry  
c. Transitivity  
d. All of the Above
- 27 If a tree has 50 nodes , then the total edges/links in the tree will be  
a. 55  
b. 51  
c. 50  
d. 49
- 28 If the height of perfect binary tree is 4, what will be the total number of nodes in it?  
a. 15  
b. 16  
c. 31  
d. 32

# AL-JUNAID INSTITUTE GROUP

29 Suppose there are set of fruits and the set of vegetables, both sets are \_\_\_\_\_ sets.

- a. **Disjoint**
- b. Subset
- c. Whole
- d. Equal

30 A binary relation R over S is called an equivalence relation if it has following property(s)

- a. Reflexivity
- b. Symmetry
- c. Transitivity
- d. **All of Above**

31 Heap can be used to implement

- a. Stack
- b. Linked list
- c. Queue
- d. **Priority queue**

32 If a tree has 20 edges/links, then the total number of nodes in the tree will be:

- a. 19
- b. 20
- c. **21**
- d. Can't be determined

33 If there are 100 elements in an equivalence class, then we will have \_\_\_\_\_ sets initially.

- a. 50
- b. **100**
- c. 1000
- d. 80

34 Given the values are the array representation of heap; 12 23 26 31 34  
44 56 64 78 100

What is the 5th smallest element in the given heap?

- a. 31
- b. **34**
- c. 44
- d. 57

35. A solution is said to be efficient if it solves the problem within its resource constraints i.e. hardware and time.

► **True (Page 4)**

► False

36 Which one of the following is known as "Last-In, First-Out" or LIFO Data Structure?

- Linked List
- **Stack (Page 54)**
- Queue
- Tree

37 What will be postfix expression of the following infix expression?

infix Expression:  $a+b*c-d$

- $ab+c*d-$
- **$abc*+d-$**

# AL-JUNAID INSTITUTE GROUP

- ▶  $abc+*d-$
- ▶  $abcd+*-$

38 For compiler a postfix expression is easier to evaluate than infix expression?

- ▶ **True**
- ▶ False

39 Consider the following pseudo code

declare a stack of characters

while ( there are more characters in the word to read )

```
{
    read a character
    push the character on the stack
}
while ( the stack is not empty )
{
    pop a character off the stack
    write the character to the screen
}
```

What is written to the screen for the input "apples"?

- ▶ selpa
- ▶ **selppa**
- ▶ apples
- ▶ aaappppplleess

40 A binary tree of N nodes has\_\_\_\_\_.

- ▶  $\log_{10} N$  levels
- ▶  **$\log_2 N$  levels (Page 212)**
- ▶  $N / 2$  levels
- ▶  $N \times 2$  levels

41 The easiest case of deleting a node from BST is the case in which the node to be deleted\_\_\_\_\_.

- ▶ **Is a leaf node (Page 173)**
- ▶ Has left subtree only
- ▶ Has right subtree only
- ▶ Has both left and right subtree

42 If there are N elements in an array then the number of maximum steps needed to find an element using Binary Search is\_\_.

- ▶ N
- ▶  $N^2$
- ▶  $N \log_2 N$
- ▶  **$\log_2 N$  (page 440)**

# AL-JUNAID INSTITUTE GROUP

43 Merge sort and quick sort both fall into the same category of sorting algorithms. What is this category?

- ▶  $O(n \log n)$  sorts
- ▶ Interchange sort (not sure)
- ▶ Average time is quadratic
- ▶ **None of the given options. (Page 488)**

44 If one pointer of the node in a binary tree is NULL then it will be a/an\_\_\_\_\_.

- ▶ **External node (Page 303)**
- ▶ Root node
- ▶ Inner node
- ▶ Leaf node

45 We convert the\_\_\_\_\_ pointers of binary to threads in threaded binary tree.

- ▶ Left
- ▶ Right
- ▶ **NULL (Page 312)**
- ▶ None of the given options

46 If the bottom level of a binary tree is NOT completely filled, depicts that the tree is NOT

- ▶ Expression tree
- ▶ Threaded binary tree
- ▶ **complete Binary tree (Page 323)**
- ▶ Perfectly complete Binary tree

47 What is the best definition of a *collision* in a hash table?

- ▶ Two entries are identical except for their keys.
- ▶ Two entries with different data have the exact same key
- ▶ **Two entries with different keys have the same exact hash value. (page 464)**
- ▶ Two entries with the exact same key have different hash values.

48 Suppose that a selection sort of 100 items has completed 42 iterations of the main loop. How many items are now guaranteed to be in their final spot (never to be moved again )

- ▶ 21
- ▶ 41
- ▶ **42**
- ▶ 43

49 .Suppose you implement a Min heap (with the smallest element on top) in an array. Consider the different arrays below; determine the one that *cannot* possibly be a heap:

- ▶ 16, 18, 20, 22, 24, 28, 30
- ▶ 16, 20, 18, 24, 22, 30, 28
- ▶ 16, 24, 18, 28, 30, 20, 22
- ▶ **16, 24, 20, 30, 28, 18, 22 (page 334)**



# AL-JUNAID INSTITUTE GROUP

50 Do you see any problem in the code of nextInOrder below: `TreeNode * nextInOrder(TreeNode * p)`

```
{
    if(p->RTH == thread)
        return( p->R );
    else {
        p = p->R;
        while(p->LTH == child)
            p = p->R;
        return p;
    }
}
```

- ▶ The function has no problem and will fulfill the purpose successfully.
- ▶ The function cannot be compile as it has syntax error.
- ▶ The function has logical problem, therefore, it will not work properly.
- ▶ The function will be compiled but will throw runtime exception immediately after the control is transferred to this function.

51. Here is an array of ten integers:

5 3 8 9 1 7 0 2 6 4

The array after the FIRST iteration of the large loop in a selection sort (sorting from smallest to largest).

▶ 0 3 8 9 1 7 5 2 6 4 (Page 477)

▶ 2 6 4 0 3 8 9 1 7 5

▶ 2 6 4 9 1 7 0 3 8 5

▶ 0 3 8 2 6 4 9 1 7 5

52. Which one of the following operations returns top value of the stack?

- ▶ Push
- ▶ Pop
- ▶ **Top (page 53)**
- ▶ First

53. Which one of the following is NOT true regarding the skip list?

- ▶ Each list  $S_i$  contains the special keys + infinity and - infinity.  
List  $S_0$  contains the keys of  $S$  in non-decreasing order.  
Each list is a subsequence of the previous one.
- ▶ **List  $S_h$  contains only the  $n$  special keys. (page 446)**

54 By using \_\_\_\_\_ we avoid the recursive method of traversing a Tree, which makes use of stacks and consumes a lot of memory and time.

- ▶ Binary tree only
- ▶ **Threaded binary tree (page 306)**
- ▶ Heap data structure

# AL-JUNAID INSTITUTE GROUP

- ▶ Huffman encoding

55 What is the best definition of a *collision* in a hash table?

- ▶ Two entries are identical except for their keys.
- ▶ Two entries with different data have the exact same key
- ▶ **Two entries with different keys have the same exact hash value. (page 464)**
- ▶ Two entries with the exact same key have different hash values.

56 Which formula is the best approximation for the depth of a heap with  $n$  nodes?

- ▶  **$\log(\text{base } 2) \text{ of } n$  (page 353)**
- ▶ The number of digits in  $n$  (base 10), e.g., 145 has three digits
- ▶ The square root of  $n$
- ▶  $n$

57 which of the following is not true regarding the maze generation?

- ▶ Randomly remove walls until the entrance and exit cells are in the same set.
- ▶ Removing a wall is the same as doing a union operation.
- ▶ **Remove a randomly chosen wall if the cells it separates are already in the same set. (page 424)**
- ▶ Do not remove a randomly chosen wall if the cells it separates are already in the same set.

58 Which of the given option is NOT a factor in Union by Size:

- ▶ Maintain sizes (number of nodes) of all trees, and during union.
- ▶ Make smaller tree, the subtree of the larger one.
- ▶ **Make the larger tree, the subtree of the smaller one. (page 408)**
- ▶ Implementation: for each root node  $i$ , instead of setting  $\text{parent}[i]$  to  $-1$ , set it to  $-k$  if tree rooted at  $i$  has  $k$  nodes.

59. when we have declared the size of the array, it is not possible to increase or decrease it during the of the program.

- ▶ Declaration
- ▶ **Execution (page 17)**
- ▶ Defining
- ▶ None of the above

60. it will be efficient to place stack elements at the start of the list because insertion and removal take \_\_\_\_\_ time.

- ▶ Variable
- ▶ **Constant (page 60)**
- ▶ Inconsistent
- ▶ None of the above

61. is the stack characteristic but \_\_\_\_\_ was implemented because of the size limitation of the array.

# AL-JUNAID INSTITUTE GROUP

- ▶ isFull(), isEmpty()
- ▶ pop(), push()
- ▶ **isEmpty(), isFull() (page 59)**
- ▶ push(), pop().

62, What kind of list is best to answer questions such as "What is the item at position n?"

- ▶ **Lists implemented with an array.**
- ▶ Doubly-linked lists.
- ▶ Singly-linked lists.
- ▶ Doubly-linked or singly-linked lists are equally best

63 Each node in doubly link list has,

- ▶ 1 pointer
- ▶ **2 pointers (page 39)**
- ▶ 3 pointers
- ▶ 4 pointers

64 If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?

- ▶ 54
- ▶ 55
- ▶ 56
- ▶ **57 (page 303)**
- ▶ x R z

65 A simple sorting algorithm like selection sort or bubble sort has a worst-case of

- ▶  $O(1)$  time because all lists take the same amount of time to sort
- ▶  $O(n)$  time because it has to perform  $n$  swaps to order the list.
- ▶  **$O(n^2)$  time because sorting 1 element takes  $O(n)$  time - After 1 pass through the list, either of these algorithms can guarantee that 1 element is sorted. (page 487)**
- ▶  $O(n^3)$  time, because the worst case has really random input which takes longer to sort.

66 Merge sort and quick sort both fall into the same category of sorting algorithms. What is this category?

- ▶  $O(n \log n)$  sorts
- ▶ Interchange sort
- ▶ Average time is quadratic
- ▶ **None of the given options. (Page 488)**

67 Huffman encoding uses \_\_\_\_\_ tree to develop codes of varying lengths for the letters used in the original message.

- ▶ Linked list
- ▶ Stack
- ▶ Queue
- ▶ **Binary tree (page 287)**

# AL-JUNAID INSTITUTE GROUP

68 Consider a min heap, represented by the following array:

10,30,20,70,40,50,80,60

After inserting a node with value 31. Which of the following is the updated min heap?

▶ **10,30,20,31,40,50,80,60,70 (page 336)**

▶ 10,30,20,70,40,50,80,60,31

▶ 10,31,20,30,40,50,80,60,31

▶ 31,10,30,20,70,40,50,80,60

69 Consider a min heap, represented by the following array:

11,22,33,44,55

After inserting a node with value 66. Which of the following is the updated min heap?

▶ **11,22,33,44,55,66 (page 336)**

▶ 11,22,33,44,66,55

▶ 11,22,33,66,44,55

▶ 11,22,66,33,44,55

70 Suppose that a selection sort of 100 items has completed 42 iterations of the main loop. How many items are now guaranteed to be in their final spot (never to be moved again)?

▶ 21

▶ 41

▶ **42**

▶ 43

71. Is a data structure that can grow easily dynamically at run time without having to copy existing elements.

▶ Array ()

▶ List

▶ **Both of these (page 10)**

▶ None of these

72. A complete binary tree of height \_\_\_\_ has nodes between 16 to 31 .

▶ 2

▶ 3

▶ **4 (page 373)**

▶ 5

73. Which of the given option is NOT a factor in Union by Size:

▶ Maintain sizes (number of nodes) of all trees, and during union.

▶ Make smaller tree, the subtree of the larger one.

▶ **Make the larger tree, the subtree of the smaller one. (page 408)**

▶ Implementation: for each root node i, instead of setting parent[i] to -1, set it to -k if tree rooted at i has k nodes.

74. Here is an array of ten integers:

5 3 8 9 1 7 0 2 6 4



# AL-JUNAID INSTITUTE GROUP

The array after the FIRST iteration of the large loop in a selection sort (sorting from smallest to largest).

- ▶ 0 3 8 9 1 7 5 2 6 4 (Page 477)
- ▶ 2 6 4 0 3 8 9 1 7 5
- ▶ 2 6 4 9 1 7 0 3 8 5
- ▶ 0 3 8 2 6 4 9 1 7 5

75. Suppose A is an array containing numbers in increasing order, but some numbers occur more than once when using a binary search for a value, the binary search always finds

- ▶ the first occurrence of a value.
- ▶ the second occurrence of a value.
- ▶ may find first or second occurrence of a value.
- ▶ None of the given options.

76. A binary tree with 24 internal nodes has \_\_\_ external nodes. 22

- ▶ 23
- ▶ 48
- ▶ 25 (page 303)

77. it will be efficient to place stack elements at the start of the list because insertion and removal \_\_\_\_\_ take time.

- ▶ Variable
- ▶ Constant (page 60)
- ▶ Inconsistent
- ▶ None of the above

78. "+" is a \_\_\_\_\_ operator.

- ▶ Unary
- ▶ Binary (page 64)
- ▶ Ternary
- ▶ None of the above

79. A kind of expressions where the operator is present between two operands called \_\_\_\_\_ expressions.

- ▶ Postfix
- ▶ Infix (page 64)
- ▶ Prefix
- ▶ None of the above.

80. Here is a small function definition:

```
void f(int i, int &k)
{
    i = 1;
    k = 2;
}
```

# AL-JUNAID INSTITUTE GROUP

Suppose that a main program has two integer variables  $x$  and  $y$ , which are given the value 0. Then the main program calls  $f(x,y)$ ; What are the values of  $x$  and  $y$  after the function  $f$  finishes?

- ▶ Both  $x$  and  $y$  are still 0.
- ▶  $x$  is now 1, but  $y$  is still 0.
- ▶  **$x$  is still 0, but  $y$  is now 2.**
- ▶  $x$  is now 1, and  $y$  is now 2.

81. A binary tree with  $N$  internal nodes has \_\_\_ links, \_\_\_ links to internal nodes and \_\_\_ links to external nodes

- ▶  $N+1, 2N, N-1$
- ▶  $N+1, N-1, 2N$
- ▶  **$2N, N-1, N+1$  (page 304)**
- ▶  $N-1, 2N, N+1$

82. Each node in doubly link list has,

- ▶ 1 pointer
- ▶ **2 pointers (Page 39)**
- ▶ 3 pointers
- ▶ 4 pointers

83. If you know the size of the data structure in advance, i.e., at compile time, which one of the following is a good data structure to use.

- ▶ Array
- ▶ List
- ▶ **Both of these (page 10)**
- ▶ None of these

84. Which one is a self-referential data type?

- ▶ Stack
- ▶ Queue
- ▶ **Link list**
- ▶ All of these

85. There is/are \_\_\_ case/s for rotation in an AVL tree,

- ▶ 1
- ▶ 3
- ▶ 2
- ▶ **4 (page 229)**

86. Which of the following can be the inclusion criteria for pixels in image segmentation.

- ▶ Pixel intensity
- ▶ Texture
- ▶ Threshold of intensity

# AL-JUNAID INSTITUTE GROUP

► All of the given options (page 421)

87. In a perfectly balanced tree the insertion of a node needs\_\_.

► One rotation (Page 225)

- Two rotations
- Rotations equal to number of levels
- No rotation at all

88; If there are N elements in an array then the number of maximum steps needed to find an element using Binary Search is\_\_.

- N
- $N^2$
- $N\log_2 N$

►  $\log_2 N$  (page 440)

89. Which of the following is NOT a correct statement about Table ADT.

- In a table, the type of information in columns may be different.
- A table consists of several columns, known as entities. (page 408)
- The row of a table is called a record.
- A major use of table is in databases where we build and use tables for keeping information.

90. Suppose we are sorting an array of eight integers using quick sort, and we have just finished the first partitioning with the array looking like this:

2 5 1 7 9 12 11 10

Which statement is correct?

► The pivot could be either the 7 or the 9.(page 506)

- The pivot could be the 7, but it is not the 9.
- The pivot is not the 7, but it could be the 9.
- Neither the 7 nor the 9 is the pivot.

91 What is the best definition of a *collision* in a hash table?

- Two entries are identical except for their keys.
- Two entries with different data have the exact same key
- Two entries with different keys have the same exact hash value. (page 464)
- Two entries with the exact same key have different hash values.

92. For a perfect binary tree of height h, having N nodes, the sum of heights of nodes is

- $N - (h - 1)$
- $N - (h + 1)$  (Page 373)
- $N - 1$
- $N - 1 + h$

93.A binary tree with 33 internal nodes has\_\_links to internal nodes.

# AL-JUNAID INSTITUTE GROUP

- ▶ 31
- ▶ **32 (Page 304)**
- ▶ 33
- ▶ 66

94. Suppose you implement a Min heap (with the smallest element on top) in an array. Consider the different arrays below; determine the one that *cannot* possibly be a heap:

- ▶ 16, 18, 20, 22, 24, 28, 30
- ▶ 16, 20, 18, 24, 22, 30, 28
- ▶ 16, 24, 18, 28, 30, 20, 22
- ▶ **16, 24, 20, 30, 28, 18, 22 (see min heap property at page 337)**

95. Which of the following is not true regarding the maze generation?

- ▶ Randomly remove walls until the entrance and exit cells are in the same set.
- ▶ Removing a wall is the same as doing a union operation.
- ▶ **Remove a randomly chosen wall if the cells it separates are already in the same set. (Page 424)**
- ▶ Do not remove a randomly chosen wall if the cells it separates are already in the same set.

96. Which formula is the best approximation for the depth of a heap with  $n$  nodes?

- ▶  **$\log(\text{base } 2) \text{ of } n$  (Page 353)**
- ▶ The number of digits in  $n$  (base 10), e.g., 145 has three digits
- ▶ The square root of  $n$
- ▶  $n$

97. The \_\_\_\_\_ method of list will position the *currentNode* and *lastCurrentNode* at the start of the list.

- ▶ Remove
- ▶ Next
- ▶ **Start (Page 38)**
- ▶ Back

98. Mergesort makes two recursive calls. Which statement is true after these recursive calls finish, but before the merge step?

- ▶ Elements in the first half of the array are less than or equal to elements in the second half of the array.
- ▶ None of the given options.
- ▶ The array elements form a heap.
- ▶ **Elements in the second half of the array are less than or equal to elements in the first half of the array.**



# AL-JUNAID INSTITUTE GROUP

99 The arguments passed to a function should match in number, type and order with the parameters in the function definition.

- ▶ **True**
- ▶ False

## Question No: 100

If numbers 5, 222, 4, 48 are inserted in a queue, which one will be removed first?

- ▶ 48
- ▶ 4
- ▶ 222
- ▶ **5**

## Question No: 101

Suppose currentNode refers to a node in a linked list (using the Node class with member variables called data and nextNode). What statement changes currentNode so that it refers to the next node?

- ▶ currentNode ++;
- ▶ currentNode = nextNode;
- ▶ currentNode += nextNode;
- ▶ **currentNode = currentNode->nextNode;**

## Question No: 102

A **Compound Data Structure** is the data structure which can have multiple data items of same type or of different types. Which of the following can be considered compound data structure?

- ▶ Arrays
- ▶ LinkLists
- ▶ Binary Search Trees
- ▶ **All of the given options**

## Question No: 103

Here is a small function definition:

```
void f(int i, int &k)
{
    i = 1;
    k = 2;
}
```

# AL-JUNAID INSTITUTE GROUP

Suppose that a main program has two integer variables x and y, which are given the value 0. Then the main program calls f(x,y); What are the values of x and y after the function f finishes?

- ▶ Both x and y are still 0.
- ▶ x is now 1, but y is still 0.
- ▶ x is still 0, but y is now 2.
- ▶ x is now 1, and y is now 2.

## Question No: 104

The difference between a binary tree and a binary search tree is that ,

- ▶ **a binary search tree has two children per node whereas a binary tree can have none, one, or two children per node**
- ▶ in binary search tree nodes are inserted based on the values they contain
- ▶ in binary tree nodes are inserted based on the values they contain
- ▶ none of these

## Question No: 105

If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?

- ▶ 54
- ▶ 55
- ▶ 56
- ▶ **57 (Page 303)**

## Question No: 106

If there are 23 external nodes in a binary tree then what will be the no. of internal nodes in this binary tree?

- ▶ 23
- ▶ 24
- ▶ 21
- ▶ **22 (n-1) (Page 306)**

## Question No: 107

Which of the following method is helpful in creating the heap at once?

- ▶ insert
- ▶ add
- ▶ update
- ▶ **preculatDown (Page 370)**

# AL-JUNAID INSTITUTE GROUP

## Question No: 108

If both pointers of the node in a binary tree are NULL then it will be a/an\_\_\_\_\_.

- ▶ Inner node
- ▶ **Leaf node (Page 311)**
- ▶ Root node
- ▶ None of the given optio

## Question No: 108

By using\_\_\_\_\_we avoid the recursive method of traversing a Tree, which makes use of stacks and consumes a lot of memory and time.

- ▶ Binary tree only
- ▶ **Threaded binary tree (page 306 )**
- ▶ Heap data structure
- ▶ Huffman encoding

## Question No: 109

A complete binary tree of height 3 has between \_\_\_\_\_nodes.

- ▶ 8 to 14
- ▶ **8 to 15 (Page 124)**
- ▶ 8 to 16
- ▶ 8 to 17

$$2^{(d+1)} - 1 = 2^{(3+1)} - 1 = 2^4 - 1 = 16 - 1 = 15$$

## Question No: 110

Consider a min heap, represented by the following array:

3,4,6,7,5,10

After inserting a node with value 1. Which of the following is the updated min heap?

- ▶ 3,4,6,7,5,10,1
- ▶ 3,4,6,7,5,1,10
- ▶ 3,4,1,5,7,10,6
- ▶ **1,4,3,5,7,10,6 close to correct but correct ans is 1,4,3,7,5,10,6 (page 337)**

## Question No: 111

Consider a min heap, represented by the following array:

10,30,20,70,40,50,80,60

After inserting a node with value 31. Which of the following is the updated min heap?

- ▶ **10,30,20,31,40,50,80,60,70 (page 337)**
- ▶ 10,30,20,70,40,50,80,60,31
- ▶ 10,31,20,30,40,50,80,60,31
- ▶ 31,10,30,20,70,40,50,80,60

## Question No: 112

Which one of the following algorithms is most widely used due to its good average time,

- ▶ Bubble Sort

# AL-JUNAID INSTITUTE GROUP

- ▶ Insertion Sort
- ▶ **Quick Sort**
- ▶ Merge Sort

## Question No: 113

The following are statements related to queues.

The last item to be added to a queue is the first item to be removed

A queue is a structure in which both ends are not used

The last element hasn't to wait until all elements preceding it on the queue are removed  
queue is said to be a last-in-first-out list or LIFO data structure.

Which of the above is/are related to normal queues?

- ▶ (iii) and (ii) only
- ▶ (i), (ii) and (iv) only
- ▶ (ii) and (iv) only
- ▶ **None of the given options**

## Question No: 114

In complete binary tree the bottom level is filled from \_\_\_\_\_

- ▶ **Left to right (Page 323)**
- ▶ Right to left
- ▶ Not filled at all
- ▶ None of the given options

## Question No: 115

We are given N items to build a heap, this can be done with \_\_\_\_\_ successive inserts.

- ▶ N-1
- ▶ **N (Page 355)**
- ▶ N+1
- ▶  $N^2$

## Question No: 116

Suppose we had a hash table whose hash function is " $n \% 12$ ", if the number 35 is already in the hash table, which of the following numbers would cause a collision?

- ▶ 144
- ▶ 145
- ▶ **143**
- ▶ 148

## Question No: 117

Here is an array of ten integers:

5 3 8 9 1 7 0 2 6 4

The array after the FIRST iteration of the large loop in a selection sort (sorting from smallest to largest).

- ▶ **0 3 8 9 1 7 5 2 6 4 (Page 483)**
- ▶ 2 6 4 0 3 8 9 1 7 5
- ▶ 2 6 4 9 1 7 0 3 8 5
- ▶ 0 3 8 2 6 4 9 1 7 5



# AL-JUNAID INSTITUTE GROUP

## Question No: 118

What requirement is placed on an array, so that *binary search* may be used to locate an entry?

- ▶ The array elements must form a heap.
- ▶ The array must have at least 2 entries.
- ▶ **The array must be sorted.**
- ▶ The array's size must be a power of two.

## Question No: 119

In case of deleting a node from AVL tree, rotation could be prolong to the *root* node.

- ▶ **Yes (Page 266)**
- ▶ No

## Question No 119

\_\_\_\_\_ only removes items in reverse order as they were entered.

- ▶ **Stack (Page 79)**
- ▶ Queue
- ▶ Both of these
- ▶ None of these

## Question No:120

Here is a small function definition:

```
void f(int i, int &k)
{
    i = 1;
    k = 2;
}
```

Suppose that a main program has two integer variables x and y, which are given the value 0. Then the main program calls f(x,y); What are the values of x and y after the function f finishes?

- ▶ Both x and y are still 0.
- ▶ x is now 1, but y is still 0.
- ▶ **x is still 0, but y is now 2.**
- ▶ x is now 1, and y is now 2.

## Question No:121

Select the one *FALSE* statement about binary trees:

- ▶ **Every binary tree has at least one node. (Page 109)**
- ▶ Every non-empty tree has exactly one root node.
- ▶ Every node has at most two children.
- ▶ Every non-root node has exactly one parent.

## Question No: 122

Searching an element in an AVL tree take maximum \_\_\_\_\_ time (where n is no. of nodes in AVL tree),

- ▶  $\log_2(n+1)$
- ▶  $\log_2(n+1) - 1$
- ▶  **$1.44 \log_2 n$  (Page 235)**
- ▶  $1.66 \log_2 n$

# AL-JUNAID INSTITUTE GROUP

## Question No: 123

Suppose that we have implemented a *priority queue* by storing the items in a heap. We are now executing a reheapification downward and the out-of-place node has priority of 42. The node's parent has a priority of 72, the left child has priority 52 and the node's right child has priority 62. Which statement best describes the status of the reheapification.

- ▶ The reheapification is done.
- ▶ The next step will interchange the two children of the out-of-place node.
- ▶ The next step will swap the out-of-place node with its parent.
- ▶ The next step will swap the out-of-place node with its left child.

## Question No: 124

Suppose you implement a heap (with the largest element on top) in an array. Consider the different arrays below, determine the one that *cannot* possibly be a heap:

- ▶ 7 6 5 4 3 2 1
- ▶ 7 3 6 2 1 4 5
- ▶ 7 6 4 3 5 2 1
- ▶ 7 3 6 4 2 5 1

According to max heap property

## Question No: 125

Which one of the following is NOT the property of equivalence relation:

- ▶ Reflexive
- ▶ Symmetric
- ▶ Transitive
- ▶ Associative (Page 385)

## Question No: 126

The definition of Transitivity property is

- ▶ For all element  $x$  member of  $S$ ,  $x R x$
- ▶ For all elements  $x$  and  $y$ ,  $x R y$  if and only if  $y R x$
- ▶ For all elements  $x, y$  and  $z$ , if  $x R y$  and  $y R z$  then  $x R z$  (Page 385)
- ▶ For all elements  $w, x, y$  and  $z$ , if  $x R y$  and  $w R z$  then  $x R z$

## Question No: 127

Union is a \_\_\_\_\_ time operation.

- ▶ Constant ( Page 416)
- ▶ Polynomial
- ▶ Exponential
- ▶ None of the given option

## Question No: 128

Which of the following is NOT a correct statement about Table ADT.

- ▶ In a table, the type of information in columns may be different. yes
- ▶ A table consists of several columns, known as entities. (Page 437 )
- ▶ The row of a table is called a record.
- ▶ A major use of table is in databases where we build and use tables for keeping information.

# AL-JUNAID INSTITUTE GROUP

## Question No: 129

In the worst case of deletion in AVL tree requires\_\_\_\_\_.

- ▶ Only one rotation
- ▶ Rotation at each non-leaf node
- ▶ Rotation at each leaf node
- ▶ **Rotations equal to  $\log_2 N$**

## Question No: 130

By using\_\_\_\_\_we avoid the recursive method of traversing a Tree, which makes use of stacks and consumes a lot of memory and time.

- ▶ Binary tree only
- ▶ **Threaded binary tree**
- ▶ Heap data structure
- ▶ Huffman encoding

## Question No: 131

Consider a min heap, represented by the following array:

11,22,33,44,55

After inserting a node with value 66.Which of the following is the updated min heap?

- ▶ **11,22,33,44,55,66 (page 337)**
- ▶ 11,22,33,44,66,55
- ▶ 11,22,33,66,44,55
- ▶ 11,22,66,33,44,55

## Question No: 132

Consider a min heap, represented by the following array:

3,4,6,7,5

After calling the function deleteMin().Which of the following is the updated min heap?

- ▶ 4,6,7,5
- ▶ 6,7,5,4
- ▶ **4,5,6,7 (page 349)**
- ▶ 4,6,5,7

## Question No: 133

We can build a heap in \_\_\_\_\_time.

- ▶ **Linear (Page 353)**
- ▶ Exponential
- ▶ Polynomial
- ▶ None of the given options

## Question No: 134

Suppose we are sorting an array of eight integers using quick sort, and we have just finished the first partitioning with the array looking like this: □

2 5 1 7 9 12 11 10

Which statement is correct?

- ▶ **The pivot could be either the 7 or the 9. (page 506)**
- ▶ The pivot could be the 7, but it is not the 9.
- ▶ The pivot is not the 7, but it could be the 9
- ▶ Neither the 7 nor the 9 is the pivot.

## Question No: 135

# AL-JUNAID INSTITUTE GROUP

Which formula is the best approximation for the depth of a heap with  $n$  nodes?

► **log (base 2) of  $n$  (Page 353)**

- The number of digits in  $n$  (base 10), e.g., 145 has three digits
- The square root of  $n$
- $n$

**Question No 136**

Suppose you implement a Min heap (with the smallest element on top) in an array. Consider the different arrays below; determine the one that *cannot* possibly be a heap:

- 16, 18, 20, 22, 24, 28, 30
- 16, 20, 18, 24, 22, 30, 28
- 16, 24, 18, 28, 30, 20, 22
- **16, 24, 20, 30, 28, 18, 22**

**Question No: 137**

While joining nodes in the building of Huffman encoding tree if there are more nodes with same frequency, we choose the nodes \_\_\_\_\_.

► **Randomly (Page 289)**

- That occur first in the text message
- That are lexically smaller among others.
- That are lexically greater among others

**Question No: 138**

Consider the following paragraph with blanks.

A ..... is a linear list where ..... and ..... take place at the same end . This end is called the .....

What would be the correct filling the above blank positions?

- (i) queue (ii) insertion (iii) removals (iv) top
- (i) stack (ii) insertion (iii) removals (iv) bottom
- **(i) stack (ii) insertion (iii) removals (iv) top (Page 52)**
- (i) tree (ii) insertion (iii) removals (iv) top



0304-1659294

www.vulmshelp.com

# AL-JUNAID INSTITUTE GROUP

## Question No: 139

A binary tree with 33 internal nodes has \_\_\_\_\_ links to internal nodes.

- ▶ 31
- ▶ **32 (n-1 links to internal nodes) (Page 304)**
- ▶ 33
- ▶ 66

## Question No: 140

Which traversal gives a decreasing order of elements in a heap where the max element is stored at the top?

- ▶ post-order
- ▶ level-order
- ▶ inorder
- ▶ **None of the given options**

## Question No: 141

What requirement is placed on an array, so that *binary search* may be used to locate an entry

- ▶ The array elements must form a heap.
- ▶ The array must have at least 2 entries.
- ▶ **The array must be sorted**
- ▶ The array's size must be a power of two.

## Question No: 142

Which of the following is a non linear data structure?

- ▶ Linked List
- ▶ Stack
- ▶ Queue
- ▶ **Tree (Page 112)**

## Question No: 143

The data of the problem is of 2GB and the hard disk is of 1GB capacity, to solve this problem we should

- ▶ Use better data structures
- ▶ **Increase the hard disk space (Page 5)**
- ▶ Use the better algorithm
- ▶ Use as much data as we can store on the hard disk

## Question No: 144

In an array list the current element is

- ▶ **The first element**
- ▶ **The middle element**
- ▶ The last element
- ▶ The element where the current pointer points to

## Question No: 145

Which one of the following is a valid postfix expression?



# AL-JUNAID INSTITUTE GROUP

- ▶  $ab+cd-$
- ▶  **$abc*+d-$  (According to rule)**
- ▶  $abc+*d-$
- ▶  $(abc*)+d-$

## Question No: 146

In sequential access data structure, accessing any element in the data structure takes different amount of time. Tell which one of the following is sequential access data structure,

- ▶ Arrays
- ▶ **Lists**
- ▶ Both of these
- ▶ None of these

## Question No: 147

I have implemented the queue with a circular array. If data is a circular array of CAPACITY elements, and last is an index into that array, what is the formula for the index after last?

- ▶  $(last \% 1) + CAPACITY$
- ▶  $last \% (1 + CAPACITY)$
- ▶  **$(last + 1) \% CAPACITY$**
- ▶  $last + (1 \% CAPACITY)$

This expression will point to field after last that will be the first field.

## Question No: 148

Which one of the following is TRUE about recursion?

- ▶ **Recursion extensively uses stack memory. (page 149)**
- ▶ Threaded Binary Trees use the concept of recursion.
- ▶ Recursive function calls consume a lot of memory.
- ▶ Iteration is more efficient than iteration.

## Question no.149

Which one of the following is TRUE about iteration?

- ▶ Iteration extensively uses stack memory.
- ▶ Threaded Binary Trees use the concept of iteration.
- ▶ Iterative function calls consumes a lot of memory.
- ▶ **Recursion is more efficient than iteration.**

## Question No: 150

If a max heap is implemented using a partially filled array called data, and the array contains n elements ( $n > 0$ ), where is the entry with the greatest value? **Data[0] is correct**

- ▶ data[1]
- ▶ data[n-1]
- ▶ data[n]
- ▶ data[2\*n+1]

# AL-JUNAID INSTITUTE GROUP

## Question No: 151

If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?

- ▶ 54
- ▶ 55
- ▶ 56
- ▶ **57 (n+1)**

## Question No: 152

Which of the following heap method increase the value of key at position „p” by the amount „delta”?

- ▶ **increaseKey(p,delta) (Page 363)**
- ▶ decreaseKey(p,delta)
- ▶ preculatDown(p,delta)
- ▶ remove(p,delta)

## Question No: 153

If we have 1000 sets each containing a single different person. Which of the following relation will be true on each set:

- ▶ **Reflexive (page 388)**
- ▶ Symmetric
- ▶ Transitive
- ▶ Associative

## Question No: 154

Which one of the following is not an example of equivalence relation?

- ▶ Electrical connectivity
- ▶ Set of people
- ▶  **$\leq$  relation (Page 385)**
- ▶ Set of pixels

## Question No: 155

A binary tree of nodes has\_\_\_\_\_.

- ▶  $\log_{10} N$  levels
- ▶  **$\log_2 N$  levels (Page 279)**
- ▶  $N / 2$  levels
- ▶  $N \times 2$  levels

## Question No: 156

Binary Search is an algorithm of searching, used with the\_\_\_\_\_data.

- ▶ **Sorted (Page 428)**
- ▶ Unsorted
- ▶ Heterogeneous
- ▶ Random

## Question No: 157

Consider te following array

# AL-JUNAID INSTITUTE GROUP

23 15 5 12 40 10 7

After the first pass of a particular algorithm, the array looks like

15 5 12 23 10 7 40

Name the algorithm used

- ▶ Heap sort
- ▶ Selection sort
- ▶ Insertion sort

▶ **Bubble sort (According to rule)**

**Question No: 158**

Which of the following statements is correct property of binary trees?

- ▶ A binary tree with  $N$  internal nodes has  $N+1$  internal links.
- ▶ A binary tree with  $N$  external nodes has  $2N$  internal nodes.

▶ **A binary tree with  $N$  internal nodes has  $N+1$  external nodes. (page 304)**

- ▶ None of above statement is a property of the binary tree

**Question No: 159**

If the bottom level of a binary tree is NOT completely filled, depicts that the tree is NOT a

- ▶ Expression tree
- ▶ Threaded binary tree

▶ **complete Binary tree (Page 323)**

- ▶ Perfectly complete Binary tree

**Question No: 160**

In a selection sort of  $n$  elements, how many times the swap function is called to complete the execution of the algorithm?

▶  **$n-1$**

- ▶  $n \log n$
- ▶  $n^2$
- ▶ 1

**Question No: 161**

Which of the following statement is correct about find( $x$ ) operation:

- ▶ A find( $x$ ) on element  $x$  is performed by returning exactly the same node that is found.

▶ **A find( $x$ ) on element  $x$  is performed by returning the root of the tree containing  $x$ .**

- ▶ A find( $x$ ) on element  $x$  is performed by returning the whole tree itself containing  $x$ .
- ▶ A find( $x$ ) on element  $x$  is performed by returning TRUE.

**Question No: 162**

Which of the following statement is NOT correct about find operation:

- ▶ It is not a requirement that a find operation returns any specific name, just that finds on two elements return the same answer if and only if they are in the same set.

▶ **One idea might be to use a tree to represent each set, since each element in a tree has the same root, thus the root can be used to name the set.**

- ▶ Initially each set contains one element.

- ▶ **Initially each set contains one element and it does not make sense to make a tree of one node only.**

# AL-JUNAID INSTITUTE GROUP

## Question No: 163

Consider the following postfix expression S and the initial values of the variables.

$$S = A B - C + D E F - + ^$$

Assume that A=3, B=2, C=1, D=1, E=2, F=3

What would be the final output of the stack?

- ▶ 1
- ▶ 2
- ▶ 0
- ▶ -1

## Question No: 164

The maximum number of external nodes (leaves) for a binary tree of height H is \_\_\_\_\_

- ▶  $2h$
- ▶  $2^{H+1}$
- ▶  $2^H - 1$
- ▶  $2^H + 2$

## Question No: 165

In threaded binary tree the NULL pointers are replaced by ,

- ▶ preorder successor or predecessor
- ▶ **inorder successor or predecessor (Page 310)**
- ▶ postorder successor or predecessor
- ▶ NULL pointers are not replaced

## Question No: 166

In a min heap , preculcateDown procedure will move smaller value \_\_\_\_\_ and bigger value \_\_\_\_\_.

- ▶ left,right
- ▶ right,left
- ▶ **up,down (Page 358)**
- ▶ down,up

## Question No: 167

Which of the following statement is correct about union:

- ▶ **To perform Union of two sets, we merge the two trees by making the root of one tree point to the root of the other. (Greedy algorithms , Page 7)**
- ▶ To perform Union of two sets, we merge the two trees by making the leaf node of one tree point to the root of the other.
- ▶ To perform Union of two sets, merging operation of trees in not required at all.
- ▶ None of the given options.

# AL-JUNAID INSTITUTE GROUP

## Question No: 168

Suppose A is an array containing numbers in increasing order, but some numbers occur more than once when using a binary search for a value, the binary search always finds \_

- ▶ **the first occurrence of a value.**
- ▶ the second occurrence of a value.
- ▶ may find first or second occurrence of a value.
- ▶ None of the given options.

## Question No: 169

Let heap stored in an array as H = [50, 40, 37, 32, 28, 22, 36, 13]. In other words, the root of the heap contains the maximum element. What is the result of deleting 40 from this heap

- ▶ **[50,32, 37,13, 28, 22, 36] according to max heap property.**
- ▶ [37, 28, 32, 22, 36, 13]
- ▶ [37, 36, 32, 28, 13, 22]
- ▶ [37, 32, 36, 13, 28, 22]

## Question No: 170

In an array we can store data elements of different types.

- ▶ True
- ▶ **False**

we cannot store multiple datatype in an Array, we can store similar datatype only in an **Array**.

## Question no 171

Which one of the following statement is NOT correct?

- ▶ In linked list the elements are necessarily to be contiguous
- ▶ **In linked list the elements may locate at far positions in the memory (page 17)**
- ▶ In linked list each element also has the address of the element next to it
- ▶ In an array the elements are contiguous

## Question no 172

Doubly Linked List always has one NULL pointer.

- ▶ True
- ▶ **False(page 450)**

## Question No: 173

A queue is a data structure where elements are,

- ▶ **inserted at the front and removed from the back. . (page #89 nd 90)**
- ▶ inserted and removed from the top.
- ▶ inserted at the back and removed from the front.
- ▶ inserted and removed from both ends.

## Question No: 174

Each node in doubly link list has,

- ▶ 1 pointer
- ▶ **2 pointers(page 38)**
- ▶ 3 points
- ▶ 4 pointer



# AL-JUNAID INSTITUTE GROUP

## Question No: 175

I have implemented the queue with a linked list, keeping track of a front pointer and a rear pointer. Which of these pointers will change during an insertion into an *EMPTY* queue?

- ▶ Neither changes
- ▶ Only front pointer changes.
- ▶ Only rear pointer changes.
- ▶ Both change

Since it is an empty queue the front and rear are initialize to -1, so on insertion both the pointers will change and point to 0.

## Question No: 176

Compiler uses which one of the following to evaluate a mathematical equation,

- ▶ Binary Tree
- ▶ Binary Search Tree
- ▶ Parse Tree(page 279)
- ▶ AVL Tree

## Question No: 177

If a complete binary tree has n number of nodes then its height will be,

- ▶  $\log_2(n+1) - 1$ (page 136)
- ▶  $2^n$
- ▶  $\log_2(n) - 1$
- ▶  $2^n - 1$

## Question No: 178

If a complete binary tree has height h then its no. of nodes will be,

- ▶  $\log(h)$
- ▶  $2^{h+1} - 1$
- ▶  $\log(h) - 1$
- ▶  $2^h - 1$

## Question No: 179

A binary relation R over S is called an equivalence relation if it has following property(s)

- ▶ Reflexivity
- ▶ Symmetry
- ▶ Transitivity
- ▶ All of the given options (page 385)

## Question No: 180

If there are N elements in an array then the number of maximum steps needed to find an element using Binary Search is \_\_\_\_.

# AL-JUNAID INSTITUTE GROUP

- ▶ N
- ▶  $N^2$
- ▶  $N \log_2 N$
- ▶  $\log_2 N$  (page 429)

## Question No: 181

Use of binary tree in compression of data is known as \_\_\_\_\_.

- ▶ Traversal
- ▶ Heap
- ▶ Union
- ▶ **Huffman encoding** (page 292)

## Question No: 182

While building Huffman encoding tree the new node that is the result of joining two nodes has the frequency.

- ▶ Equal to the small frequency
- ▶ Equal to the greater
- ▶ **Equal to the sum of the two frequencies** (page 293)
- ▶ Equal to the difference of the two frequencies

## Question No: 183

Which of the following statement is correct?

- ▶ A Threaded Binary Tree is a binary tree in which every node that does not have a left child has a THREAD (in actual sense, a link) to its INORDER successor.
- ▶ A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its PREORDER successor.

▶ **A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its INORDER successor.** (Page 307)

- ▶ A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its POSTORDER successor.

## Question No: 184

A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its \_\_\_\_\_ successor.

- ▶ levelorder
- ▶ Preorder
- ▶ **Inorder**
- ▶ Postorder

## Question No: 185

Which of the following statement is true about dummy node of threaded binary tree?

- ▶ This dummy node never has a value.

# AL-JUNAID INSTITUTE GROUP

- ▶ This dummy node has always some dummy value.
- ▶ **This dummy node has either no value or some dummy value. .(page 324)**
- ▶ This dummy node has always some integer value.

## Question No: 186

A complete binary tree is a tree that is \_\_\_\_\_ filled, with the possible exception of the bottom level.

- ▶ partially
- ▶ **completely (page 326)**
- ▶ incompletely
- ▶ partly

## Question No: 187

A complete binary tree of height 3 has between \_\_\_\_\_ nodes.

- ▶ 8 to 14
- ▶ **8 to 15 (page 124)**
- ▶ 8 to 16
- ▶ 8 to 17

## Question No: 188

We can build a heap in \_\_\_\_\_ time.

- ▶ **Linear (page 355)**
- ▶ Exponential
- ▶ Polynomial
- ▶ None of the given options

## Question No: 189

Suppose that a selection sort of 100 items has completed 42 iterations of the main loop. How many items are now guaranteed to be in their final spot (never to be moved again)?

- ▶ 21
- ▶ 41
- ▶ **42**
- ▶ 43

## Question No: 190

Which of the following statement is NOT correct about find operation:

- ▶ It is not a requirement that a find operation returns any specific name, just that finds on two elements return the same answer if and only if they are in the same set.
- ▶ **One idea might be to use a tree to represent each set, since each element in a tree has the same root, thus the root can be used to name the set.**
- ▶ Initially each set contains one element.
- ▶ Initially each set contains one element and it does not make sense to make a tree of one node only.

## Question No: 191

(Consider the following infix

# AL-JUNAID INSTITUTE GROUP

expression:

$$x - y a + b / c$$

Which of the following is a correct equivalent expression(s) for the above?

▶  $x y - a * b + c /$

▶  $x * y a - b c / +$

▶  $x y a * - b c / +$  Hint :-  $(x - y * a) + (b / c)$

▶  $x y a * - b / + c$

**Question No: 192**

A complete binary tree of height \_\_\_\_\_ has nodes between 16 to 31 .

▶ 2

▶ 3

▶ 4 (page 124)

▶ 5

**Question No: 193**

What requirement is placed on an array, so that *binary search* may be used to locate an entry?

▶ The array elements must form a heap.

▶ The array must have at least 2 entries

▶ The array must be sorted.

▶ The array's size must be a power of two.

**Question No:194**

A solution is said to be efficient if it solves the problem within its resource constraints i.e. hardware and time.

▶ False (page 4....hardware,hard disk and memory)

▶ ture



0304-1659294

www.vulmshelp.com